

Safety Data Sheet



Maxforce® Original Cockroach Gel

Version 1 / AUS
10200001392

1/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Maxforce® Original Cockroach Gel
Product code (UVP) 05938465

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888

Telefax (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.environmentalscience.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Reproductive toxicity: Category 1B

H360 May damage fertility or the unborn child.

Specific target organ toxicity - single exposure: Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling according to specific Australian legislation

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Hydramethylnon

Signal word: Danger

Hazard statements

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

2/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

P202 Do not handle until all safety precautions have been read and understood.
P281 Use personal protective equipment as required.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Hydramethylnon 20g/kg
Chemical nature

Bait (ready for use) (RB)

Chemical Name	CAS-No.	Concentration [%]
Hydramethylnon	67485-29-4	2.00
Oleic acid	112-80-1	> 1.00 - < 20.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.10 - < 1.00
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

General advice

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable.

Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion

Rinse mouth. Keep at rest. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

3/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

Symptoms
Local:, To date no symptoms are known.
Systemic:, May cause stuffy or runny nose and scratchy throat.,
Lacrimation, Lethargy, Diarrhoea

4.3 Indication of any immediate medical attention and special treatment needed

Treatment
Local treatment: Initial treatment: symptomatic.
Systemic treatment: Initial treatment: symptomatic. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

Hazchem Code 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.



Maxforce® Original Cockroach Gel

Version 1 / AUS
10200001392

4/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep out of the reach of children. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

No control parameters known.

Additional advice

Not established.

8.2 Exposure controls

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

5/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

General protective measures In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	gel
Colour	light brown
Water solubility	partly soluble
Partition coefficient: n-octanol/water	Hydramethylnon: log Pow: 2.3
Viscosity, dynamic	400,000 - 1,000,000 mPa.s at 20 °C Please, note QC information !

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

6/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

Assessment mutagenicity

Hydramethylnon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Hydramethylnon was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Hydramethylnon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Hydramethylnon caused testicular damage and male infertility.

Assessment developmental toxicity

Hydramethylnon caused developmental toxicity only at dose levels toxic to the dams. Hydramethylnon caused a delayed foetal growth.

Assessment STOT Specific target organ toxicity – repeated exposure

Hydramethylnon caused specific target organ toxicity in experimental animal studies in the following organ(s): Testes, Kidney.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Caution!

Keep out of reach of children and animals.

May be minimally irritating following prolonged direct contact.

May be harmful if swallowed.

No specific medical conditions are known which may be aggravated by exposure to this product.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure



Maxforce® Original Cockroach Gel

Version 1 / AUS
10200001392

7/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.16 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient hydramethylnon.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1.14 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient hydramethylnon.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.005 - 0.018 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient hydramethylnon.

12.2 Persistence and degradability

Biodegradability

Hydramethylnon:
Not rapidly biodegradable

Koc

Hydramethylnon: Koc: 730000

12.3 Bioaccumulative potential

Bioaccumulation

Hydramethylnon: Bioconcentration factor (BCF) 34,900
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Hydramethylnon: Immobile in soil

12.5 Other adverse effects

Additional ecological information

No other effects to be mentioned.



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

8/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage. DO NOT burn empty containers or product.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HYDRAMETHYLNON MIXTURE)
Hazchem Code	2Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HYDRAMETHYLNON MIXTURE)

IATA

UN number	3077
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HYDRAMETHYLNON MIXTURE)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 56626

SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

9/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

SECTION 16. OTHER INFORMATION

Trademark information Maxforce® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the

Safety Data Sheet



Maxforce® Original Cockroach Gel

Version 1 / AUS
102000001392

10/10
Revision Date: 12.02.2017
Print Date: 12.02.2017

eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.

TWA TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

TWA Time weighted average

UN United Nations

WHO World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS